



X型環

X-Ring





材質 Material: NBR 70 / FKM 75

單位 unit: mm

CNL 編號 Parts No.	內徑 d	外徑 D	線徑 W
X-001	0.74	2.78	1.02
X-002	1.06	3.56	1.25
X-003	1.42	4.46	1.52
X-004	1.78	5.34	1.78
X-005	2.57	6.13	1.78
X-006	2.9	6.46	1.78
X-007	3.69	7.25	1.78
X-008	4.47	8.03	1.78
X-009	5.28	8.84	1.78
X-010	6.07	9.63	1.78
X-011	7.65	11.21	1.78
X-012	9.25	12.81	1.78
X-013	10.82	14.38	1.78
X-014	12.42	15.98	1.78
X-015	14	17.56	1.78
X-016	15.6	19.16	1.78
X-017	17.17	20.73	1.78
X-018	18.77	22.33	1.78
X-019	20.35	23.91	1.78
X-020	21.95	25.51	1.78
X-021	23.52	27.08	1.78
X-022	25.12	28.68	1.78
X-023	26.7	30.26	1.78
X-024	28.3	31.86	1.78
X-025	29.87	33.43	1.78
X-026	31.47	35.03	1.78
X-027	33.05	36.61	1.78
X-028	34.65	38.21	1.78
X-029	37.82	41.38	1.78
X-030	41	44.56	1.78
X-031	44.17	47.73	1.78
X-032	47.35	50.91	1.78
X-033	50.52	54.08	1.78
X-034	53.7	57.26	1.78
X-035	56.87	60.43	1.78
X-036	60.05	63.61	1.78
X-037	63.22	66.78	1.78
X-038	66.4	69.96	1.78
X-039	69.57	73.13	1.78
X-040	72.75	76.31	1.78
X-041	75.92	79.48	1.78
X-042	82.27	85.83	1.78
X-043	88.62	92.18	1.78
X-044	94.97	98.53	1.78

CNL 編號 Parts No.	內徑 d	外徑 D	線徑 W
X-046	107.67	111.23	1.78
X-047	114.02	117.58	1.78
X-048	120.37	123.93	1.78
X-049	126.72	130.28	1.78
X-050	133.07	136.63	1.78
X-102	1.24	6.48	2.62
X-103	2.05	7.29	2.62
X-104	2.84	8.08	2.62
X-105	3.63	8.87	2.62
X-106	4.42	9.66	2.62
X-107	5.23	10.47	2.62
X-108	6.02	11.26	2.62
X-109	7.59	12.83	2.62
X-110	9.2	14.44	2.62
X-111	10.77	16.01	2.62
X-112	12.37	17.61	2.62
X-113	13.95	19.19	2.62
X-114	15.54	20.78	2.62
X-115	17.12	22.36	2.62
X-116	18.72	23.96	2.62
X-117	20.29	25.53	2.62
X-118	21.9	27.14	2.62
X-119	23.47	28.71	2.62
X-120	25.07	30.31	2.62
X-121	26.65	31.89	2.62
X-122	28.25	33.49	2.62
X-123	29.82	35.06	2.62
X-124	31.42	36.66	2.62
X-125	32.99	38.23	2.62
X-126	34.6	39.84	2.62
X-127	36.17	41.41	2.62
X-128	37.77	43.01	2.62
X-129	39.35	44.59	2.62
X-130	40.95	46.19	2.62
X-131	42.52	47.76	2.62
X-132	44.12	49.36	2.62
X-133	45.7	50.94	2.62
X-134	47.3	52.54	2.62
X-135	48.9	54.14	2.62
X-136	50.47	55.71	2.62
X-137	52.07	57.31	2.62
X-138	53.65	58.89	2.62
X-139	55.25	60.49	2.62
X-140	56.82	62.06	2.62

CNL 編號 Parts No.	內徑 d	外徑 D	線徑 W
X-142	60	65.24	2.62
X-143	61.6	66.84	2.62
X-144	63.17	68.41	2.62
X-145	64.77	70.01	2.62
X-146	66.35	71.59	2.62
X-147	67.95	73.19	2.62
X-148	69.52	74.76	2.62
X-149	71.12	76.36	2.62
X-150	72.7	77.94	2.62
X-151	75.87	81.11	2.62
X-152	82.22	87.46	2.62
X-153	88.57	93.81	2.62
X-154	94.92	100.16	2.62
X-155	101.27	106.51	2.62
X-156	107.62	112.86	2.62
X-157	113.97	119.21	2.62
X-158	120.32	125.56	2.62
X-159	126.67	131.91	2.62
X-160	133.02	138.26	2.62
X-161	139.37	144.61	2.62
X-162	145.72	150.96	2.62
X-163	152.07	157.31	2.62
X-164	158.42	163.66	2.62
X-165	164.77	170.01	2.62
X-166	171.12	176.36	2.62
X-167	177.47	182.71	2.62
X-168	183.82	189.06	2.62
X-169	190.17	195.41	2.62
X-170	196.52	201.76	2.62
X-171	202.87	208.11	2.62
X-172	209.22	214.46	2.62
X-173	215.57	220.81	2.62
X-174	221.92	227.16	2.62
X-175	228.27	233.51	2.62
X-176	234.62	239.86	2.62
X-177	240.97	246.21	2.62
X-178	247.32	252.56	2.62
X-201	4.34	11.4	3.53
X-202	5.94	13	3.53
X-203	7.52	14.58	3.53
X-204	9.12	16.18	3.53
X-205	10.69	17.75	3.53
X-206	12.29	19.35	3.53
X-207	13.87	20.93	3.53



材質 Material: NBR 70 / FKM 75

單位 unit: mm

CNL 編號 Parts No.	內徑 d	外徑 D	線徑 W
X-209	17.04	24.1	3.53
X-210	18.64	25.7	3.53
X-211	20.22	27.28	3.53
X-212	21.82	28.88	3.53
X-213	23.4	30.46	3.53
X-214	25	32.06	3.53
X-215	26.57	33.63	3.53
X-216	28.17	35.23	3.53
X-217	29.75	36.81	3.53
X-218	31.34	38.4	3.53
X-219	32.92	39.98	3.53
X-220	34.52	41.58	3.53
X-221	36.1	43.16	3.53
X-222	37.7	44.76	3.53
X-223	40.87	47.93	3.53
X-224	44.05	51.11	3.53
X-225	47.22	54.28	3.53
X-226	50.4	57.46	3.53
X-227	53.57	60.63	3.53
X-228	56.75	63.81	3.53
X-229	59.92	66.98	3.53
X-230	63.1	70.16	3.53
X-231	66.27	73.33	3.53
X-232	69.44	76.5	3.53
X-233	72.62	79.68	3.53
X-234	75.79	82.85	3.53
X-235	78.97	86.03	3.53
X-236	82.14	89.2	3.53
X-237	85.32	92.38	3.53
X-238	88.49	95.55	3.53
X-239	91.67	98.73	3.53
X-240	94.84	101.9	3.53
X-241	98.02	105.08	3.53
X-242	101.19	108.25	3.53
X-243	104.37	111.43	3.53
X-244	107.54	114.6	3.53
X-245	110.72	117.78	3.53
X-246	113.89	120.95	3.53
X-247	117.07	124.13	3.53
X-248	120.24	127.3	3.53
X-249	123.42	130.48	3.53
X-250	126.59	133.65	3.53
X-251	129.77	136.83	3.53
X-252	132.94	140	3.53

CNL 編號 Parts No.	內徑 d	外徑 D	線徑 W
X-254	139.3	146.36	3.53
X-255	142.47	149.53	3.53
X-256	145.65	152.71	3.53
X-257	148.82	155.88	3.53
X-258	152	159.06	3.53
X-259	158.35	165.41	3.53
X-260	164.7	171.76	3.53
X-261	171.05	178.11	3.53
X-262	177.4	184.46	3.53
X-263	183.75	190.81	3.53
X-264	190.1	197.16	3.53
X-265	196.45	203.51	3.53
X-266	202.8	209.86	3.53
X-267	209.15	216.21	3.53
X-268	215.5	222.56	3.53
X-269	221.85	228.91	3.53
X-270	228.2	235.26	3.53
X-271	234.55	241.61	3.53
X-272	240.9	247.96	3.53
X-273	247.25	254.31	3.53
X-274	253.6	260.66	3.53
X-275	266.3	273.36	3.53
X-276	279	286.06	3.53
X-277	291.7	298.76	3.53
X-278	304.4	311.46	3.53
X-279	329.8	336.86	3.53
X-280	355.2	362.26	3.53
X-281	380.6	387.66	3.53
X-282	405.26	412.32	3.53
X-283	430.66	437.72	3.53
X-284	450.06	463.12	3.53
X-309	10.46	21.12	5.33
X-310	12.07	22.73	5.33
X-311	13.64	24.3	5.33
X-312	15.24	25.9	5.33
X-313	16.81	27.47	5.33
X-314	18.42	29.08	5.33
X-315	19.99	30.65	5.33
X-316	21.59	32.25	5.33
X-317	23.16	33.82	5.33
X-318	24.77	35.43	5.33
X-319	26.34	37	5.33
X-320	27.94	38.6	5.33
X-321	29.51	40.17	5.33

CNL 編號 Parts No.	內徑 d	外徑 D	線徑 W
X-323	32.69	43.35	5.33
X-324	34.29	44.95	5.33
X-325	37.47	48.13	5.33
X-326	40.65	51.31	5.33
X-327	43.82	54.48	5.33
X-328	46.99	57.65	5.33
X-329	50.16	60.82	5.33
X-330	53.34	64	5.33
X-331	56.52	67.18	5.33
X-332	59.69	70.35	5.33
X-333	62.87	73.53	5.33
X-334	66.04	76.7	5.33
X-335	69.22	79.88	5.33
X-336	72.39	83.05	5.33
X-337	75.57	86.23	5.33
X-338	78.74	89.4	5.33
X-339	81.92	92.58	5.33
X-340	85.09	95.75	5.33
X-341	88.27	98.93	5.33
X-342	91.44	102.1	5.33
X-343	94.62	105.28	5.33
X-344	97.79	108.45	5.33
X-345	100.96	111.62	5.33
X-346	104.14	114.8	5.33
X-347	107.32	117.98	5.33
X-348	110.49	121.15	5.33
X-349	113.67	124.33	5.33
X-350	116.84	127.5	5.33
X-351	120.02	130.68	5.33
X-352	123.19	133.85	5.33
X-353	126.37	137.03	5.33
X-354	129.54	140.2	5.33
X-355	132.72	143.38	5.33
X-356	135.89	146.55	5.33
X-357	139.07	149.73	5.33
X-358	142.24	152.9	5.33
X-359	145.42	156.08	5.33
X-360	148.59	159.25	5.33
X-361	151.77	162.43	5.33
X-362	158.12	168.78	5.33
X-363	164.47	175.13	5.33
X-364	170.82	181.48	5.33
X-365	177.17	187.83	5.33
X-366	183.52	194.18	5.33



X型環

X-Ring



材質 Material: NBR 70 / FKM 75

單位 unit: mm

CNL 編號 Parts No.	內徑 d	外徑 D	線徑 W	CNL 編號 Parts No.	內徑 d	外徑 D	線徑 W
X-368	196.22	206.88	5.33	X-442	183.52	197.5	6.99
X-369	202.57	213.23	5.33	X-443	189.87	203.85	6.99
X-370	208.92	219.58	5.33	X-444	196.22	210.2	6.99
X-371	215.27	225.93	5.33	X-445	202.57	216.55	6.99
X-372	221.62	232.28	5.33	X-446	215.27	229.25	6.99
X-373	227.97	238.63	5.33	X-447	227.97	241.95	6.99
X-374	234.32	244.98	5.33	X-448	240.67	254.65	6.99
X-375	240.67	251.33	5.33	X-449	253.37	267.35	6.99
X-376	247.02	257.68	5.33	X-450	266.07	280.05	6.99
X-377	253.37	264.03	5.33	X-451	278.77	292.75	6.99
X-378	266.07	276.73	5.33	X-452	291.47	305.45	6.99
X-379	278.77	289.43	5.33	X-453	304.17	318.15	6.99
X-380	291.47	302.13	5.33	X-454	316.87	330.85	6.99
X-381	304.17	314.83	5.33	X-455	329.57	343.55	6.99
X-382	329.55	340.21	5.33	X-456	342.27	356.25	6.99
X-383	354.97	365.63	5.33	X-457	354.97	368.95	6.99
X-384	380.37	391.03	5.33	X-458	367.67	381.65	6.99
X-385	405.26	415.92	5.33	X-459	380.37	394.35	6.99
X-386	430.65	441.31	5.33	X-460	393.07	407.05	6.99
X-387	456.06	466.72	5.33	X-461	405.26	419.24	6.99
X-388	481.46	492.12	5.33	X-462	417.96	431.94	6.99
X-389	506.86	517.52	5.33	X-463	430.66	444.64	6.99
X-390	532.26	542.92	5.33	X-464	443.36	457.34	6.99
X-391	557.66	568.32	5.33	X-465	456.06	470.04	6.99
X-392	582.65	593.31	5.33	X-466	468.76	482.74	6.99
X-393	608.1	618.76	5.33	X-467	481.46	495.44	6.99
X-394	633.5	644.16	5.33	X-468	494.16	508.14	6.99
X-395	658.85	669.51	5.33	X-469	506.86	520.84	6.99
X-425	113.67	127.65	6.99	X-470	532.26	546.24	6.99
X-426	116.84	130.82	6.99	X-471	557.66	571.64	6.99
X-427	120.02	134	6.99	X-472	582.65	596.63	6.99
X-428	123.19	137.17	6.99	X-473	608.1	622.08	6.99
X-429	126.37	140.35	6.99	X-474	633.5	647.48	6.99
X-430	129.54	143.52	6.99	X-475	658.85	672.83	6.99
X-431	132.72	146.7	6.99				
X-432	135.89	149.87	6.99				
X-433	139.07	153.05	6.99				
X-434	142.24	156.22	6.99				
X-435	145.42	159.4	6.99				
X-436	148.59	162.57	6.99				
X-437	151.77	165.75	6.99				
X-438	158.12	172.1	6.99				
X-439	164.47	178.45	6.99				
X-440	170.82	184.8	6.99				