


AS-568

AS-568-Type O-Ring Size List



	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
質	原料	NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°

O 環 AS規格	内徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 001	0.74	2.78	1.02	08001
AS 002	1.07	3.61	1.27	08002
AS 003	1.42	4.48	1.53	08003
AS 004	1.78	5.34	1.78	08004
AS 005	2.57	6.13	1.78	08005
AS 006	2.9	6.46	1.78	08006
AS 007	3.69	7.25	1.78	08007
AS 008	4.47	8.03	1.78	08008
AS 009	5.29	8.85	1.78	08009
AS 010	6.07	9.63	1.78	08010
AS 011	7.65	11.21	1.78	08011
AS 012	9.25	12.81	1.78	08012
AS 013	10.82	14.38	1.78	08013
AS 014	12.42	15.98	1.78	08014
AS 015	14	17.56	1.78	08015
AS 016	15.6	19.16	1.78	08016
AS 017	17.17	20.73	1.78	08017
AS 018	18.77	22.33	1.78	08018
AS 019	20.35	23.91	1.78	08019
AS 020	21.95	25.51	1.78	08020
AS 021	23.52	27.08	1.78	08021
AS 022	25.12	28.68	1.78	08022
AS 023	26.7	30.26	1.78	08023
AS 024	28.3	31.86	1.78	08024
AS 025	29.87	33.43	1.78	08025
AS 026	31.47	35.03	1.78	08026
AS 027	33.05	36.61	1.78	08027
AS 028	34.65	38.21	1.78	08028
AS 029	37.82	41.38	1.78	08029
AS 030	41	44.56	1.78	08030
AS 031	44.17	47.73	1.78	08031
AS 032	47.35	50.91	1.78	08032
AS 033	50.52	54.08	1.78	08033
AS 034	53.7	57.26	1.78	08034
AS 035	56.87	60.43	1.78	08035
AS 036	60.04	63.6	1.78	08036
AS 037	63.22	66.78	1.78	08037
AS 038	66.4	69.96	1.78	08038
AS 039	69.57	73.13	1.78	08039
AS 040	72.75	76.31	1.78	08040

O 環 AS規格	内徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 041	75.92	79.48	1.78	08041
AS 042	82.27	85.83	1.78	08042
AS 043	88.62	92.18	1.78	08043
AS 044	94.97	98.53	1.78	08044
AS 045	101.32	104.88	1.78	08045
AS 046	107.62	111.18	1.78	08046
AS 047	114.02	117.58	1.78	08047
AS 048	120.37	123.93	1.78	08048
AS 049	126.72	130.28	1.78	08049
AS 050	133.07	136.63	1.78	08050
AS 102	1.24	6.48	2.62	08102
AS 103	2.05	7.29	2.62	08103
AS 104	2.84	8.08	2.62	08104
AS 105	3.63	8.87	2.62	08105
AS 106	4.42	9.66	2.62	08106
AS 107	5.23	10.47	2.62	08107
AS 108	6.02	11.26	2.62	08108
AS 109	7.6	12.84	2.62	08109
AS 110	9.19	14.43	2.62	08110
AS 111	10.77	16.01	2.62	08111
AS 112	12.37	17.61	2.62	08112
AS 113	13.95	19.19	2.62	08113
AS 114	15.54	20.78	2.62	08114
AS 115	17.12	22.36	2.62	08115
AS 116	18.72	23.96	2.62	08116
AS 117	20.29	25.53	2.62	08117
AS 118	21.9	27.14	2.62	08118
AS 119	23.47	28.71	2.62	08119
AS 120	25.07	30.31	2.62	08120
AS 121	26.65	31.89	2.62	08121
AS 122	28.25	33.49	2.62	08122
AS 123	29.82	35.06	2.62	08123
AS 124	31.42	36.66	2.62	08124
AS 125	32.99	38.23	2.62	08125
AS 126	34.6	39.84	2.62	08126
AS 127	36.17	41.41	2.62	08127
AS 128	37.77	43.01	2.62	08128
AS 129	39.35	44.59	2.62	08129
AS 130	40.95	46.19	2.62	08130
AS 131	42.52	47.76	2.62	08131



AS-568 AS-568-Type O-Ring Size List

	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
質	原料	NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°




											單位 unit: mm
	0 環	内徑	外徑	厚度	加耐力編號		0 環	内徑	外徑	厚度	加耐力編號
	AS規格	I.D.	O.D.	W	CNL Parts No.		AS規格	I.D.	O.D.	W	CNL Parts No.
	AS 132	44.12	49.36	2.62	08132		AS 172	209.22	214.46	2.62	08172
	AS 133	45.7	50.94	2.62	08133		AS 173	215.57	220.81	2.62	08173
	AS 134	47.3	52.54	2.62	08134		AS 174	221.92	227.16	2.62	08174
	AS 135	48.9	54.14	2.62	08135		AS 175	228.27	233.51	2.62	08175
	AS 136	50.47	55.71	2.62	08136		AS 176	234.62	239.86	2.62	08176
	AS 137	52.07	57.31	2.62	08137		AS 177	240.97	246.21	2.62	08177
	AS 138	53.65	58.89	2.62	08138		AS 178	247.32	252.56	2.62	08178
	AS 139	55.25	60.49	2.62	08139		AS 201	4.34	11.4	3.53	08201
	AS 140	56.82	62.06	2.62	08140		AS 202	5.94	13	3.53	08202
	AS 141	58.42	63.66	2.62	08141		AS 203	7.52	14.58	3.53	08203
	AS 142	60	65.24	2.62	08142		AS 204	9.12	16.18	3.53	08204
	AS 143	61.6	66.84	2.62	08143		AS 205	10.69	17.75	3.53	08205
	AS 144	63.17	68.41	2.62	08144		AS 206	12.29	19.35	3.53	08206
	AS 145	64.77	70.01	2.62	08145		AS 207	13.87	20.93	3.53	08207
	AS 146	66.35	71.59	2.62	08146	L	AS 208	15.47	22.53	3.53	08208
	AS 147	67.95	73.19	2.62	08147		AS 209	17.04	24.1	3.53	08209
	AS 148	69.52	74.76	2.62	08148	L	AS 210	18.64	25.7	3.53	08210
	AS 149	71.12	76.36	2.62	08149		AS 211	20.22	27.28	3.53	08211
Ш	AS 150	72.7	77.94	2.62	08150	L	AS 212	21.82	28.88	3.53	08212
	AS 151	75.87	81.11	2.62	08151		AS 213	23.4	30.46	3.53	08213
Ш	AS 152	82.22	87.46	2.62	08152	L	AS 214	25	32.06	3.53	08214
	AS 153	88.57	93.81	2.62	08153		AS 215	26.57	33.63	3.53	08215
Ш	AS 154	94.92	100.16	2.62	08154	L	AS 216	28.17	35.23	3.53	08216
	AS 155	101.27	106.51	2.62	08155		AS 217	29.75	36.81	3.53	08217
	AS 156	107.62	112.86	2.62	08156	L	AS 218	31.34	38.4	3.53	08218
	AS 157	113.97	119.21	2.62	08157		AS 219	32.92	39.98	3.53	08219
	AS 158	120.32	125.56	2.62	08158		AS 220	34.52	41.58	3.53	08220
	AS 159	126.67	131.91	2.62	08159		AS 221	36.1	43.16	3.53	08221
	AS 160	133.02	138.26	2.62	08160	L	AS 222	37.7	44.76	3.53	08222
	AS 161	139.37	144.61	2.62	08161		AS 223	40.87	47.93	3.53	08223
	AS 162	145.72	150.96	2.62	08162		AS 224	44.05	51.11	3.53	08224
	AS 163	152.07	157.31	2.62	08163		AS 225	47.22	54.28	3.53	08225
	AS 164	158.42	163.66	2.62	08164		AS 226	50.4	57.46	3.53	08226
	AS 165	164.77	170.01	2.62	08165		AS 227	53.57	60.63	3.53	08227
	AS 166	171.12	176.36	2.62	08166		AS 228	56.75	63.81	3.53	08228
	AS 167	177.47	182.71	2.62	08167		AS 229	59.92	66.98	3.53	08229
	AS 168	183.82	189.06	2.62	08168		AS 230	63.1	70.16	3.53	08230
	AS 169	190.17	195.41	2.62	08169		AS 231	66.27	73.33	3.53	08231
	AS 170	196.52	201.76	2.62	08170		AS 232	69.44	76.5	3.53	08232
	AS 171	202.87	208.11	2.62	08171		AS 233	72.62	79.68	3.53	08233

^{*}代表國際規範外, Min 加耐力公司特別尺寸. (*means CNL special design outside the international standard specifications)



AS-568

AS-568-Type O-Ring Size List



	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
質	原料	NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°

	0環	内徑	外徑	厚度	加耐力編號
	AS規格	I.D.	O.D.	W	CNL Parts No.
L	AS 234	75.79	82.85	3.53	08234
	AS 235	78.97	86.03	3.53	08235
L	AS 236	82.14	89.2	3.53	08236
	AS 237	85.32	92.38	3.53	08237
L	AS 238	88.49	95.55	3.53	08238
	AS 239	91.67	98.73	3.53	08239
L	AS 240	94.84	101.9	3.53	08240
	AS 241	98.02	105.08	3.53	08241
L	AS 242	101.19	108.25	3.53	08242
	AS 243	104.37	111.43	3.53	08243
	AS 244	107.54	114.60	3.53	08244
	AS 245	110.72	117.78	3.53	08245
	AS 246	113.89	120.95	3.53	08246
	AS 247	117.07	124.13	3.53	08247
	AS 248	120.24	127.3	3.53	08248
	AS 249	123.42	130.48	3.53	08249
	AS 250	126.59	133.65	3.53	08250
	AS 251	129.77	136.83	3.53	08251
	AS 252	132.94	140	3.53	08252
	AS 253	136.12	143.18	3.53	08253
	AS 254	139.3	146.36	3.53	08254
	AS 255	142.47	149.53	3.53	08255
	AS 256	145.65	152.71	3.53	08256
	AS 257	148.82	155.88	3.53	08257
	AS 258	152	159.06	3.53	08258
	AS 259	158.35	165.41	3.53	08259
	AS 260	164.7	171.76	3.53	08260
	AS 261	171.05	178.11	3.53	08261
	AS 262	177.4	184.46	3.53	08262
	AS 263	183.75	190.81	3.53	08263
	AS 264	190.1	197.16	3.53	08264
	AS 265	196.45	203.51	3.53	08265
	AS 266	202.8	209.86	3.53	08266
	AS 267	209.15	216.21	3.53	08267
	AS 268	215.5	222.56	3.53	08268
	AS 269	221.85	228.91	3.53	08269
	AS 270	228.2	235.26	3.53	08270
	AS 271	234.55	241.61	3.53	08271
	AS 272	240.9	247.96	3.53	08272
	AS 273	247.25	254.31	3.53	08273

AS 274 253.6 260.66 3.53 AS 275 266.3 273.36 3.53 AS 276 279 286.06 3.53 AS 277 291.7 298.76 3.53	08274 08275 08276 08277 08278 08279
AS 275 266.3 273.36 3.53 AS 276 279 286.06 3.53 AS 277 291.7 298.76 3.53	08275 08276 08277 08278
AS 276 279 286.06 3.53 AS 277 291.7 298.76 3.53	08276 08277 08278
AS 277 291.7 298.76 3.53	08277 08278
	08278
AC 070	
AS 278 304.4 311.46 3.53	08270
AS 279 329.8 336.86 3.53	
AS 280 355.2 362.26 3.53	08280
AS 281 380.6 387.66 3.53	08281
AS 282 405.26 412.32 3.53	08282
AS 283 430.66 437.72 3.53	08283
AS 284 456.06 463.12 3.53	08284
AS 309 10.46 21.12 5.33	08309
AS 310 12.07 22.73 5.33	08310
AS 311 13.64 24.3 5.33	08311
AS 312 15.24 25.9 5.33	08312
AS 313 16.81 27.47 5.33	08313
AS 314 18.42 29.08 5.33	08314
AS 315 19.99 30.65 5.33	08315
AS 316 21.59 32.25 5.33	08316
AS 317 23.16 33.82 5.33	08317
AS 318 24.77 35.43 5.33	08318
AS 319 26.34 37 5.33	08319
AS 320 27.94 38.6 5.33	08320
AS 321 29.51 40.17 5.33	08321
AS 322 31.12 41.78 5.33	08322
AS 323 32.69 43.35 5.33	08323
AS 324 34.29 44.95 5.33	08324
AS 325 37.47 48.13 5.33	08325
AS 326 40.65 51.31 5.33	08326
AS 327 43.82 54.48 5.33	08327
AS 328 46.99 57.65 5.33	08328
AS 329 50.16 60.82 5.33	08329
AS 330 53.34 64 5.33	08330
AS 331 56.52 67.18 5.33	08331
AS 332 59.69 70.35 5.33	08332
AS 333 62.87 73.53 5.33	08333
AS 334 66.04 76.7 5.33	08334
AS 335 69.22 79.88 5.33	08335
AS 336 72.39 83.05 5.33	08336
AS 337 75.57 86.23 5.33	08337



AS-568

AS-568-Type O-Ring Size List



		CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
9	€	原料	NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°


單位 unit: mm

		h) /;;;	e e	+n∓++-√5-a-5	_ TI	ch/iii	nl/m	e e	單位 unit: mm
O 環 AS規格	内徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.	O 環 AS規格	内徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 338	78.74	89.4	5.33	08338	AS 378	266.07	276.73	5.33	08378
AS 339	81.92	92.58	5.33	08339	AS 379	278.77	289.43	5.33	08378
AS 339 AS 340	85.09	95.75	5.33	08340	AS 379 AS 380	291.47	302.13	5.33	08380
AS 340	88.27	98.93	5.33	08340	AS 380	304.17	314.83	5.33	08380
AS 341	91.44	102.1	5.33	08341	AS 381	329.55	340.21	5.33	08382
AS 342 AS 343	94.62	102.1	5.33	08342	AS 382 AS 383	354.97	365.63	5.33	08383
AS 344	97.79	103.28	5.33	08344	AS 384	380.37	391.03	5.33	08384
AS 345	100.96	111.62	5.33	08345	AS 385	405.26	415.92	5.33	08385
AS 346	100.90	114.8	5.33	08346	AS 386	430.65	441.31	5.33	08386
AS 347	107.32	117.98	5.33	08347	AS 387	456.06	466.72	5.33	08387
AS 348	110.49	121.15	5.33	08348	AS 388	481.46	492.12	5.33	08388
AS 349	113.67	124.33	5.33	08349	AS 389	506.86	517.52	5.33	08389
AS 350	116.84	127.5	5.33	08350	AS 390	532.26	542.92	5.33	08390
AS 351	120.02	130.68	5.33	08351	AS 391	557.66	568.32	5.33	08391
AS 352	123.19	133.85	5.33	08352	AS 392	582.65	593.31	5.33	08392
AS-353	126.37	137.03	5.33	08353	AS 393	608.1	618.76	5.33	08393
AS 354	129.54	140.2	5.33	08354	AS 394	633.5	644.16	5.33	08394
AS 355	132.72	143.38	5.33	08355	AS 395	658.85	669.51	5.33	08395
AS 356	135.89	146.55	5.33	08356	AS 425	113.67	127.65	6.99	08425
AS 357	139.07	149.73	5.33	08357	AS 426	116.84	130.82	6.99	08426
AS 358	142.24	152.9	5.33	08358	AS 427	120.02	134	6.99	08427
AS 359	145.42	156.08	5.33	08359	AS 428	123.19	137.17	6.99	08428
AS 360	148.59	159.25	5.33	08360	AS 429	126.37	140.35	6.99	08429
AS 361	151.77	162.43	5.33	08361	AS 430	129.54	143.52	6.99	08430
AS 362	158.12	168.78	5.33	08362	AS 431	132.72	146.7	6.99	08431
AS 363	164.47	175.13	5.33	08363	AS 432	135.89	149.87	6.99	08432
AS 364	170.82	181.48	5.33	08364	AS 433	139.07	153.05	6.99	08433
AS 365	177.17	187.83	5.33	08365	AS 434	142.24	156.22	6.99	08434
AS 366	183.52	194.18	5.33	08366	AS 435	145.42	159.4	6.99	08435
AS 367	189.87	200.53	5.33	08367	AS 436	148.59	162.57	6.99	08436
AS 368	196.22	206.88	5.33	08368	AS 437	151.77	165.75	6.99	08437
AS 369	202.57	213.23	5.33	08369	AS 438	158.12	172.1	6.99	08438
AS 370	208.92	219.58	5.33	08370	AS 439	164.47	178.45	6.99	08439
AS 371	215.27	225.93	5.33	08371	AS 440	170.82	184.8	6.99	08440
AS 372	221.62	232.28	5.33	08372	AS 441	177.17	191.15	6.99	08441
AS 373	227.97	238.63	5.33	08373	AS 442	183.52	197.5	6.99	08442
AS 374	234.32	244.98	5.33	08374	AS 443	189.87	203.85	6.99	08443
AS 375	240.67	251.33	5.33	08375	AS 444	196.22	210.2	6.99	08444
AS 376	247.02	257.68	5.33	08376	AS 445	202.57	216.55	6.99	08445
AS 377	253.37	264.03	5.33	08377	AS 446	215.27	229.25	6.99	08446



AS-568

AS-568-Type O-Ring Size List



	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
質	原料	NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°

0 環	内徑		厚度	加耐力編號
AS規格	I.D.	O.D.	W	CNL Parts No.
AS 447	227.97	241.95	6.99	08447
AS 448	240.67	254.65	6.99	08448
AS 449	253.37	267.35	6.99	08449
AS 450	266.07	280.05	6.99	08450
AS 451	278.77	292.75	6.99	08451
AS 452	291.47	305.45	6.99	08452
AS 453	304.17	318.15	6.99	08453
AS 454	316.87	330.85	6.99	08454
AS 455	329.57	343.55	6.99	08455
AS 456	342.27	356.25	6.99	08456
AS 457	354.97	368.95	6.99	08457
AS 458	367.67	381.65	6.99	08458
AS 459	380.37	394.35	6.99	08459
AS 460	393.07	407.05	6.99	08460
AS 461	405.26	419.24	6.99	08461
AS 462	417.96	431.94	6.99	08462
AS 463	430.66	444.64	6.99	08463
AS 464	443.36	457.34	6.99	08464
AS 465	456.06	470.04	6.99	08465
AS 466	468.76	482.74	6.99	08466
AS 467	481.46	495.44	6.99	08467
AS 468	494.16	508.14	6.99	08468
AS 469	506.86	520.84	6.99	08469
AS 470	532.26	546.24	6.99	08470
AS 471	557.66	571.64	6.99	08471
AS 472	582.65	596.63	6.99	08472
AS 473	608.1	622.08	6.99	08473
AS 474	633.5	647.48	6.99	08474
AS 475	658.85	672.83	6.99	08475

_					
	0 環	内徑	外徑	厚度	加耐力編號
	AS規格	I.D.	O.D.	W	CNL Parts No.
	AS 901	4.7	7.54	1.42	08901
	AS 902	6.07	9.33	1.63	08902
	AS 903	7.65	10.91	1.63	08903
	AS 904	8.92	12.58	1.83	08904
	AS 905	10.52	14.18	1.83	08905
	AS 906	11.89	15.85	1.98	08906
	AS 907	13.46	17.62	2.08	08907
	AS 908	16.36	20.78	2.21	08908
	AS 909	17.94	22.86	2.46	08909
	AS 910	19.18	24.1	2.46	08910
	AS 911	21.92	27.82	2.95	08911
	AS 912	23.47	29.37	2.95	08912
	AS 913	25.04	30.94	2.95	08913
	AS 914	26.6	32.5	2.95	08914
	AS 916	29.75	35.65	2.95	08916
	AS 918	34.42	40.32	2.95	08918
	AS 920	37.46	43.46	3	08920
	AS 924	43.68	49.68	3	08924
	AS 928	53.09	59.09	3	08928
	AS 932	59.36	65.36	3	08932

